

Technical information

Textile Wallcovering V

November 2013

description

Collection Textile Wallcovering V is available in various combinations:

technical characteristics*

design	reference	width (cm)	weight (g/m²)
Golden Flax	2610.70 – 2610.74	137	± 650
Casali	2610.80 – 2610.84	137	± 431
Montalin	2610.90 – 2610.99	137	± 248
Espalin	2611.00 – 2611.03	137	± 518
Spica	2611.04	137	± 409
Puntolin	2611.05 – 2611.09	137	± 292
Linum	2611.10 – 2611.14	137	± 482
Linolin	2611.20 – 2611.29	137	± 372
Irish Heritage	2611.30 – 2611.34	137	± 504
Ringolin	2611.35 – 2611.39	137	± 277
Muralin	2611.40 – 2611.49	137	± 328
Mesalin	2611.50 – 2611.59	137	± 358
Artilin	2611.60 – 2611.69	137	± 380

Linola	2611.70 – 2611.74	137	± 387
Terralin	2611.80 – 2611.89	137	± 277
Lin Titania	2612.00 – 2612.04	137	± 460

composition fabric in %

design	linen (%)	cotton (%)	polyester (%)	viscose (%)
Golden Flax	100			
Casalin	60	21	19	
Montalin	100			
Espalin	100			
Spica	65	35		
Puntolin	100			
Linum	100			
Linolin	30	25		45
Irish Heritage	100			
Ringolin	100			
Muralin	100			
Mesalin	100			
Artilin	100			
Linola	30	25		45

Terralin	100
----------	-----

Lin Titania	100
-------------	-----

flame retardancy

Fire test reports can be supplied upon request.

processing

Every roll includes hanging instructions.

adhesive

Only use Vescom adhesive: Vescom 2000 for Textile Wallcovering V.

care

Vacuum-clean a few times a year.

Liquids on the surface can be easily absorbed by using an absorbing material due to the Lurotex finish.

* The specified values are average values (+/- 5%) unless specified otherwise.